

## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| L1    | 298  | 380/29.ccls. and @ad<"20010126"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/10/18 14:21 |
| L2    | 78   | 713/192.ccls. and @ad<"20010126"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/10/18 14:38 |
| L3    | 851  | 380/28.CCLS. AND @ad<"20010126"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/10/18 14:21 |
| L4    | 1129 | (L1 or L2 or L3)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/10/18 14:21 |
| L5    | 537  | DES and bit and ("XOR" or exclusive) and (key\$3 with dependent\$3) and encrypt\$3  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/10/18 14:22 |
| L6    | 261  | L5 and (register and (circuit or IC or hardware or micro or microprocessor or chip or DMA or DSP or prom or eprom or card or smartcard) and wir\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/10/18 14:24 |
| L7    | 13   | L6 and L4   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/10/18 14:25 |
| L8    | 85   | L6 and @ad<"20010126"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/10/18 14:25 |

## EAST Search History

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| L9  | 45   | ("713"/\$.ccls. or "380"/\$.ccls.) and L8   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/18 14:37 |
| L10 | 63   | (DES with FPGA) and (single with chip)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/18 14:38 |
| L11 | 17   | L10 and @ad<"20010126"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/18 14:45 |
| L12 | 12   | L11 and encrypt\$3 and key\$3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/18 14:42 |
| L13 | 4364 | (hardware or circuit or FPGA or micro or microprocessor or chip or IC or circuit or prom or eprom) with DES with (fast\$3 or highspeed or (high\$3 near3 speed\$3) or quick\$3 or rapid\$3)                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/18 14:44 |
| L14 | 5007 | (hardware or circuit or FPGA or micro or microprocessor or chip or IC or circuit or prom or eprom) with DES with (efficient\$3 or fast\$3 or highspeed or (high\$3 near3 speed\$3) or quick\$3 or rapid\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/18 14:45 |
| L15 | 120  | L14 and encrypt\$3 and key\$3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/18 14:45 |
| L16 | 50   | L15 and @ad<"20010126"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/18 14:46 |


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | [Sitemap](#) | [Help](#)
**Welcome United States Patent and Trademark Office**
 [Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE Xplore GUIDE](#)
[SUPPORT](#)

Results for "((des and circuit and key and encryption)&lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1950 &lt;and&amp;g..."

Your search matched 8 of 1675827 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

[e-mail](#) [print friendly](#)
**» Search Options**
[View Session History](#)
**Modify Search**
[New Search](#)


 Check to search only within this results set

**Display Format:**  [Citation](#)  [Citation & Abstract](#)
**» Key**
**IEEE JNL** IEEE Journal or Magazine

 [Select All](#) [Deselect All](#)
**IET JNL** IET Journal or Magazine

**IEEE CNF** IEEE Conference Proceeding

 **1. Encryption based security for ISDN communication: technique and application**

Fernandez, I.B.; Subbarao, W.V.:

[Southeastcon '94. 'Creative Technology Transfer - A Global Affair', Proceedings of the 1994 IEEE](#)

10-13 April 1994 Page(s):70 - 72

Digital Object Identifier 10.1109/SECON.1994.324268

[AbstractPlus](#) | [Full Text: PDF\(288 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
**IET CNF** IET Conference Proceeding

 **2. High performance DES encryption in Virtex™ FPGAs using JBits™**

Patterson, C.:

[Field-Programmable Custom Computing Machines, 2000 IEEE Symposium on](#)

17-19 April 2000 Page(s):113 - 121

Digital Object Identifier 10.1109/FPGA.2000.903398

[AbstractPlus](#) | [Full Text: PDF\(712 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
**IEEE STD** IEEE Standard

 **3. A single-chip FPGA implementation of the data encryption standard (DES) algorithm**

Wong, K.; Wark, M.; Dawson, E.:

[Global Telecommunications Conference, 1998. GLOBECOM 98. The Bridge to Global](#)
[Integration, IEEE](#)

Volume 2, 8-12 Nov. 1998 Page(s):827 - 832 vol.2

Digital Object Identifier 10.1109/GLOCOM.1998.776849

[AbstractPlus](#) | [Full Text: PDF\(304 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
 **4. A flip-chip implementation of the Data Encryption Standard (DES)**

Schaffer, T.; Glaser, A.; Rao, S.; Franzon, P.:

[Multi-Chip Module Conference, 1997. MCMC '97., 1997 IEEE](#)

4-5 Feb. 1997 Page(s):13 - 17

Digital Object Identifier 10.1109/MCMC.1997.569339

[AbstractPlus](#) | [Full Text: PDF\(396 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
 **5. A high level language implementation of the data encryption standard and a bit-slice architecture**

Sixel, R.G.; Monteiro, R.S.; Anido, M.L.:

[Circuits and Systems, 2000. Proceedings of the 43rd IEEE Midwest Symposium on](#)

Volume 1, 8-11 Aug. 2000 Page(s):266 - 269 vol.1

Digital Object Identifier 10.1109/MWSCAS.2000.951635

[AbstractPlus](#) | [Full Text: PDF\(464 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- 6. Advanced VLSI validated input security device employing data and hardware validation features**  
Iliev, V.; Dlay, S.S.; McLauchlan, M.R.; Koelmans, A.M.; Kinniment, D.J.;  
Computers and Digital Techniques, IEE Proceedings-  
Volume 136, Issue 6, Nov 1989 Page(s):471 - 477  
[AbstractPlus](#) | [Full Text: PDF\(668 KB\)](#) [IET JNL](#)
  
- 7. Security Requirements and Protocols for a Broadcast Scenario**  
Kent, S.;  
Communications, IEEE Transactions on [legacy, pre - 1988]  
Volume 29, Issue 6, Jun 1981 Page(s):778 - 786  
[AbstractPlus](#) | [Full Text: PDF\(1168 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
  
- 8. VLSI implementation of an OFB processor for encryption of real-time data**  
Young-Chul Kim; Kwang-Ok Kim; Tae-Won Lee;  
ASICs, 2000. AP-ASIC 2000. Proceedings of the Second IEEE Asia Pacific Conference on  
28-30 Aug. 2000 Page(s):179 - 182  
Digital Object Identifier 10.1109/APASIC.2000.896938  
[AbstractPlus](#) | [Full Text: PDF\(292 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | [Sitemap](#) | [Help](#)

Welcome United States Patent and Trademark Office

**Search Results****BROWSE****SEARCH****IEEE XPLOR GUIDE****SUPPORT**

Results for "(((des and circuit and key and fast)&lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;= 1950 &lt;and&gt; pyr..."

Your search matched 4 of 1675827 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.
[e-mail](#) [print friendly](#)
» **Search Options**[View Session History](#)[Modify Search](#)[New Search](#)

[Search](#)
 Check to search only within this results set
Display Format:  Citation  Citation & Abstract
  
» **Key**

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

 **1. A very high reliability fast bipolar IC technology for use in undersea optical fiber links**

Fourrier, J.; Pestie, J.;  
Lightwave Technology, Journal of  
 Volume 2, Issue 6, Dec 1984 Page(s):901 - 909  
[AbstractPlus](#) | [Full Text: PDF\(2304 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

 **2. A Very High Reliability Fast Bipolar IC Technology for Use in Undersea Optical Fiber Links**

Fourrier, J.; Pestie, J.;  
Selected Areas in Communications, IEEE Journal on  
 Volume 2, Issue 6, Nov 1984 Page(s):941 - 949  
[AbstractPlus](#) | [Full Text: PDF\(752 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

 **3. Advanced VLSI validated input security device employing data and hardware validation features**

Iliev, V.; Dlay, S.S.; McLauchlan, M.R.; Koelmans, A.M.; Kinniment, D.J.;  
Computers and Digital Techniques, IEE Proceedings-  
 Volume 136, Issue 6, Nov 1989 Page(s):471 - 477  
[AbstractPlus](#) | [Full Text: PDF\(668 KB\)](#) [IET JNL](#)

 **4. All-optical switching and XOR-gating using cross-polarization modulation in a semiconductor optical amplifier**

Erasme, D.; Soto, H.; Guekos, G.;  
Lasers and Electro-Optics Europe, 2000. Conference Digest. 2000 Conference on  
 10-15 Sept 2000 Page(s):1 pp.  
[Digital Object Identifier 10.1109/CLEOE.2000.909772](#)  
[AbstractPlus](#) | [Full Text: PDF\(104 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | [Sitemap](#) | [Help](#)
**Welcome United States Patent and Trademark Office**

## Search Results

[BROWSE](#)
[SEARCH](#)
[IEEE XPOLE GUIDE](#)
[SUPPORT](#)

Results for "((des and circuit and key and schedule)<in>metadata)) <and> (pyr >= 1950 <and>..."  
 Your search matched 2 of 1675827 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

 [e-mail](#)  [printer friendly](#)

### » Search Options

[View Session History](#)
[Modify Search](#)
[New Search](#)

((des and circuit and key and schedule)<in>metadata)) <and> (pyr >= 1950 <and> p

Check to search only within this results set

Display Format:  Citation  Citation & Abstract

[Select All](#) [Deselect All](#)

### » Key

**IEEE JNL** IEEE Journal or Magazine

**IET JNL** IET Journal or Magazine

**IEEE CNF** IEEE Conference Proceeding

**IET CNF** IET Conference Proceeding

**IEEE STD** IEEE Standard

#### 1. High performance DES encryption in Virtex™ FPGAs using JBits™

Patterson, C.;  
[Field-Programmable Custom Computing Machines, 2000 IEEE Symposium on](#)  
 17-19 April 2000 Page(s):113 - 121  
 Digital Object Identifier 10.1109/FPGA.2000.903398

[AbstractPlus](#) | Full Text: [PDF\(712 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

#### 2. A single-chip FPGA implementation of the data encryption standard (DES) algorithm

Wong, K.; Wark, M.; Dawson, E.;  
[Global Telecommunications Conference, 1998. GLOBECOM 98. The Bridge to Global](#)  
[Integration. IEEE](#)  
 Volume 2, 8-12 Nov. 1998 Page(s):827 - 832 vol.2  
 Digital Object Identifier 10.1109/GLOCOM.1998.776849

[AbstractPlus](#) | Full Text: [PDF\(304 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by  
 Inspec®